

## Bridgeway Suite 8.10.0

### Service Pack 8

#### Summary

---

**Version(s) patched:**

8.10.0

**Date Released:**

06/29/2018

**Enhancements:**

Users with the appropriate security rights can now view user, group, view profile, and type profile summaries from the **Tools** page in eCounsel or Secretariat. These summaries feature the same information that is available through Suite Manager. For more information, visit the following topics in the Client Success Center:

- [Working with Summary Tools](#) (eCounsel)
- [Working with Summary Tools](#) (Secretariat)

**Issue Resolutions:**

In addition to a number of security enhancements, this service pack includes the following issue resolutions:

- When using i-net Clear Reports to generate the Actual vs. Budget by Matter report, the budget amounts in the chart no longer overlap graphical elements.  
**Tracking code:** UPD-4004
- Suite no longer re-uses session tokens for Business Objects, so users no longer receive a HTTP Status 500 error when different users log into Analysis Center.  
**Tracking code:** UPD-4111
- When a user clicks the **Edit** button on an entity's page in eCounsel, the page no longer opens to the bottom of the page.  
**Tracking code:** UPD-4149
- An invalid entry in the Suite **log4j.properties** file which resulted in Suite log errors has been corrected.  
**Tracking code:** UPD-4417
- A new feature has been added so that when a wizard is going to take a long time to execute, you can enter an email address in order to be notified when the wizard is complete. This new feature has been applied to the following wizards in Secretariat:

- Corporate Meeting
- Address Consolidation
- Copy Data
- Change Status
- Global Appoint/Promote/Retire Positions
- Global Sort Order Update

Administrators can configure the amount of time before the notification is given by changing the **wizardNotificationTimeOut** property in the **darwin.properties** file. The value of this property is measured in milliseconds.

**Tracking code:** UPD-4409

- The Editable Object Stack is now configurable in **darwin.properties**. The default value of **EOMaxStackSize** is 40.  
**Tracking code:** UPD-4421
- The option to select SQL Server 2008 has been removed from the **Add/Edit Database Item** page.  
**Tracking code:** UPD-4517
- To prevent various issues, when a plus sign (+) is included in the name of a tab, the plus sign is now replaced with a space.  
**Tracking code:** UPD-4591
- In SuperViewer, when a user searches by Entity Type and uses a filter (Contains/Start with/Equals), no records are returned.  
**Tracking code:** UPD-4923
- In Secretariat, when a user rejects an entity edit, the system no longer returns a missing or invalid session token error.  
**Tracking code:** UPD-5082
- In the eCounsel **Invoices** module, when users select the Invoices Awaiting My Approval filter, type text in the search field, and then click **Find**, they no longer receive a missing or invalid token message.  
**Tracking code:** UPD-5400
- When Suite is deployed on Apache Tomcat and has a backslash character (\) in the dataroot URL, users no longer receive the following error when running i-net reports:  
"java.lang.IllegalArgumentException: Invalid character found in the request target. The valid characters are defined in RFC 7230 and RFC 3986."  
**Tracking code:** UPD-5867

## Dependencies:

This service pack require previous installation of the following:

- suite8.10.0.sp7.1
- boxir4-suite8.10.0.sp7.1 if using Business Objects

This service pack includes an update to the following:

- Suite (**suite8.10.0.sp8.2**)
- Suite Manager (**SuiteManager.exe**)
- boxir4 if using Business Objects (**boxir4-suite8.10.0.sp8.2**)
- Actual vs. Budget by Matter report, if using i-net Clear Reports

## Install Instructions

---

1. Stop the Bridgeway Suite application on the Java application server.
2. Use Update Manager to install the **suite8.10.0.sp8.2** update. Update Manager will back up the following files:
  - htm\dbpwdprompt.htm
  - htm\ecounsel\emailwizardnotification.htm
  - htm\secretariat\wizards\copydatawizard\_hidden.htm
  - htm\secretariat\wizards\corpmeetingwizard\_hidden.htm
  - htm\secretariat\wizards\entitycswizard\_hidden.htm
  - htm\secretariat\wizards\globalaprwizard\_hidden.htm
  - htm\spellcheck\xsc\_error.jsp
  - javascript\listpagemanager.js
  - javascript\cshomepage\cshomepage\_navigation.js
  - javascript\homepage\homepage.js
  - WEB-INF\classes\com\bsi\attributes\darwinmaster.properties
  - WEB-INF\classes\com\bsi\attributes\log4j.properties
  - WEB-INF\classes\com\bsi\common\WizardMessageConstants.class
  - WEB-INF\classes\com\bsi\common\WizardNotificationHelper.class
  - WEB-INF\classes\com\bsi\control\BaseCommand\$Emailer.class
  - WEB-INF\classes\com\bsi\control\BaseCommand.class
  - WEB-INF\classes\com\bsi\control\EditableObjectStack.class
  - WEB-INF\classes\com\bsi\control\GUIXmlHelper.class
  - WEB-INF\classes\com\bsi\control>ListCommand\$ListPositioner.class
  - WEB-INF\classes\com\bsi\control>ListCommand.class
  - WEB-INF\classes\com\bsi\control>ListCommandViewProfile.class
  - WEB-INF\classes\com\bsi\control\admin\AdminRedirectInitContent.class
  - WEB-INF\classes\com\bsi\control\admin\AppAboutCommand.class
  - WEB-INF\classes\com\bsi\control\admin\AuthenticateDatabaseInfoCommand.class
  - WEB-INF\classes\com\bsi\control\admin\CreateDataRootStructureCommand.class
  - WEB-INF\classes\com\bsi\control\admin\GetDatabasesCommand.class
  - WEB-INF\classes\com\bsi\control\admin\GroupListCommand.class
  - WEB-INF\classes\com\bsi\control\admin\GroupSummaryCommand.class
  - WEB-INF\classes\com\bsi\control\admin\GroupSummaryCommandPrint.class
  - WEB-INF\classes\com\bsi\control\admin\RuleProfileListSuiteCommand.class
  - WEB-INF\classes\com\bsi\control\admin\RuleProfileSummaryAndAssociationsCommand.class
  - WEB-INF\classes\com\bsi\control\admin\ToolsCommand.class
  - WEB-INF\classes\com\bsi\control\admin\ToolsCommandOptions.class

- WEB-INF\classes\com\bsi\control\admin\ToolsUserNodeIterator.class
- WEB-INF\classes\com\bsi\control\admin\ToolsUserSummaryCommand.class
- WEB-INF\classes\com\bsi\control\admin\UserFieldProfileListCommand.class
- WEB-INF\classes\com\bsi\control\admin\UserListCommand.class
- WEB-INF\classes\com\bsi\control\admin\ViewProfileSummaryAllToolsCommand.class
- WEB-INF\classes\com\bsi\control\admin\ViewProfileSummaryAndAssociationsCommand.class
- WEB-INF\classes\com\bsi\control\cshomepage\DocumentListCommand.class
- WEB-INF\classes\com\bsi\control\cshomepage\EntityListCommand.class
- WEB-INF\classes\com\bsi\control\cshomepage\PeopleListCommand.class
- WEB-INF\classes\com\bsi\control\invoice\InvoiceListCommand.class
- WEB-INF\classes\com\bsi\control\outputadmin\OutputModulesTabsListCommand.class
- WEB-INF\classes\com\bsi\control\peopleentity\EntityEmployeeListCommand.class
- WEB-INF\classes\com\bsi\control\report\CrystalReportPromptForViewerCommand.class
- WEB-INF\classes\com\bsi\control\report\RunReportCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\CMWizardCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\CompanyListCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\CompanyViewCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\CopyDataWizardCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\CopyDataWizardPage1Command.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\EntityCSWizardCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\EntityCSWizardPage1Or3Command.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\EntityCSWizardPage2Command.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\EntityListCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\GlobalAPRWizardCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\GlobalSortOrderUpdWizardCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\PositionsListCommand.class
- WEB-INF\classes\com\bsi\control\secretariat\entity\RegistrationListCommand.class
- WEB-INF\classes\com\bsi\control\wizards\TaskDocsListCommand.class
- WEB-INF\classes\com\bsi\control\wizards\WizardBaseCommand.class
- WEB-INF\classes\com\bsi\control\wizards\WizardsSetDateCommand.class
- WEB-INF\classes\com\bsi\dataclasses\bsicommon\GroupHelper.class
- WEB-INF\classes\com\bsi\dataclasses\bsicommon\RuleProfileHelper.class
- WEB-INF\classes\com\bsi\dataclasses\bsicommon\UsersHelper.class
- WEB-INF\classes\com\bsi\dataclasses\bsicommon\ViewProfileHelper.class
- WEB-INF\classes\com\bsi\datalogic\admin\GroupList.class
- WEB-INF\classes\com\bsi\datalogic\admin\RuleProfileList.class
- WEB-INF\classes\com\bsi\datalogic\admin\ViewProfileList.class

- WEB-INF\classes\com\bsi\datalogic\document\DocumentView.class
- WEB-INF\classes\com\bsi\datalogic\secretariat\SecrLogicHelper.class
- WEB-INF\classes\com\bsi\datalogic\wizards\TaskDocsList.class
- WEB-INF\classes\com\bsi\datalogic\wizards\TaskDocsView.class
- WEB-INF\classes\com\bsi\dataserver\ServerSessionHolder.class
- WEB-INF\classes\com\bsi\elobby\sourcemonitors\DemoSourceMonitor.class
- WEB-INF\classes\com\bsi\elobby\sourcemonitors\SampleMonitor.class
- WEB-INF\classes\com\bsi\repository\admin\RuleProfileDataset.class
- WEB-INF\classes\com\bsi\repository\admin\ViewProfileDataset.class
- WEB-INF\classes\com\bsi\scheduler\quartz\QuartzTaskManagerImpl.class
- WEB-INF\classes\com\bsi\scheduler\task\AbstractAPIInterfaceExportTask\$1.class
- WEB-INF\classes\com\bsi\scheduler\task\AbstractAPIInterfaceExportTask.class
- WEB-INF\classes\com\bsi\scheduler\task\CorrCostManagementTask\$1.class
- WEB-INF\classes\com\bsi\scheduler\task\CorrCostManagementTask\$InvoiceAttachment.class
- WEB-INF\classes\com\bsi\scheduler\task\CorrCostManagementTask\$ThisVendor.class
- WEB-INF\classes\com\bsi\scheduler\task\CorrCostManagementTask.class
- WEB-INF\classes\com\bsi\scheduler\task\MerckAimsExportTask.class
- WEB-INF\classes\com\bsi\scheduler\task\MerckAIMSImportTask.class
- WEB-INF\classes\com\bsi\scheduler\task\WMAimsExportTask.class
- WEB-INF\classes\com\bsi\scheduler\task\XMLMapperExport.class
- WEB-INF\classes\com\bsi\scheduler\task\XMLMapperImport.class
- WEB-INF\classes\com\bsi\util\CollaboratiIntegrationUtils.class
- WEB-INF\classes\com\bsi\util\DarUtil\$1.class
- WEB-INF\classes\com\bsi\util\DarUtil\$DateTimeType.class
- WEB-INF\classes\com\bsi\util\DarUtil\$RetryConnectionException.class
- WEB-INF\classes\com\bsi\util\DarUtil.class
- WEB-INF\classes\com\bsi\util\DatabaseFileParser.class
- WEB-INF\classes\com\bsi\util\DatabaseInfo.class
- WEB-INF\classes\com\bsi\util\DatabaseUtil.class
- WEB-INF\classes\com\bsi\util\FileRename.class
- WEB-INF\classes\com\bsi\util\bsicommon\CIUtil.class
- WEB-INF\classes\com\bsi\util\bsicommon\DatabaseInfoAuthenticator.class
- WEB-INF\classes\com\bsi\util\bsicommon\GenConstants.class
- WEB-INF\classes\com\bsi\util\bsicommon\PseudoDataClass.class
- WEB-INF\classes\com\bsi\util\bsicommon\PseudoDataClassElement.class
- WEB-INF\classes\com\bsi\util\bsicommon\RuleUtility.class
- WEB-INF\classes\com\bsi\util\bsicommon\TabUtil.class

- WEB-INF\classes\com\bsi\util\manage\iManDBFileParser.class
- WEB-INF\classes\com\bsi\util\secretariat\DocAsmSignatory.class
- WEB-INF\classes\com\bsi\util\secretariat\PeopleEntityUtil.class
- WEB-INF\classes\com\bsi\util\secretariat\SecCrystalUtil.class
- WEB-INF\classes\com\bsi\util\secretariat\SecrConstants.class
- xs\bsicommon\adminsummarytemplatestools.xml
- xs\bsicommon\contactinfolist.xml
- xs\bsicommon\databaseauthenticator.xml
- xs\bsicommon\databaseview.xml
- xs\bsicommon\group.xml
- xs\bsicommon\groupsummary.xml
- xs\bsicommon\groupsummarydetail.xml
- xs\bsicommon\listtemplates.xml
- xs\bsicommon\loginprompt.xml
- xs\bsicommon\ruleprofilesummaryassociations.xml
- xs\bsicommon\ruleprofilesummaryassociationsmultiple.xml
- xs\bsicommon\toolstemplates.xml
- xs\bsicommon\tools\_users.xml
- xs\bsicommon\tools\_userslist.xml
- xs\bsicommon\tools\_userssummary.xml
- xs\bsicommon\typeprofilelist.xml
- xs\bsicommon\viewprofileiterator.xml
- xs\bsicommon\viewprofilesummaryassociations.xml
- xs\bsicommon\viewprofilesummarylist.xml
- xs\bsicommon\viewprofilesummaryTools.xml
- xs\cshomepage\entitydocumentfiledocumentlist.xml
- xs\cshomepage\hp\_entitylist.xml
- xs\cshomepage\hp\_peoplelist.xml
- xs\SecrEntity\copydatawizard\_page1.xml
- xs\SecrEntity\copydatawiz\_registrationlist.xml
- xs\SecrEntity\corpmeetingwizard\_dates.xml
- xs\SecrEntity\corp\_meet\_wiz\_positionslist.xml
- xs\SecrEntity\entityswizard\_page1.xml
- xs\SecrEntity\entityswizard\_page2.xml
- xs\SecrEntity\entityswizard\_page3.xml
- xs\SecrEntity\globalaprwizard\_dates.xml
- xs\SecrEntity\globalsortorderupdwizconfirm.xml

- xs\SecrEntity\noteshistoryview.xsl
  - xs\wizards\address\_consolidation\acwconfirmation.xsl
3. Use Update Manager to install the **boxir4-suite8.10.0.sp8.2** update. Update Manager will back up the following files:
    - jsp\web\infoview.jsp
  4. Restart the Bridgeway Suite application on the Java application server.

## Suite Manager Install Instructions

---

1. Uninstall the current instance of Suite Manager.
2. Extract the files from the **Suite Manager.zip** file.
3. Start the installation program for Suite Manager located in the directory in which the **Suite Manager.EXE** file was extracted.
4. Click **Next** on the **Welcome** screen.
5. On the **License Key** screen, type the license key in the text box and click **Next**.
6. On the **Choose Destination Location** screen, confirm that the Destination Folder is the desired directory location for the program files.
7. On the **Start Installation** screen, click **Next** to begin the installation process.
8. A progress screen will display. You can abort the installation at any time by clicking **Cancel**.
9. On the **Installation Complete** screen, click **Finish**.

## Report Template Install Instructions

---

1. Unzip the appropriate report packages for your configuration, depending on which reports, database, and report server are being used:
  - SQL Server or Oracle for your database (the zip files are labeled accordingly)
  - i-net Crystal Reports or SAP BusinessObjects for your report server (the zip files for BusinessObjects are labeled BOE)You will need to reimport each report individually.
2. Open eCounsel and click the **Reports** module.
3. On the **Reports List** page, click the report to be updated and then click the **Reimport** button.
4. On the **Reports** dialog box, browse to the location for the corresponding .RPT file included with this update release and click the **Upload** button.
5. Click **OK** on the message box.
6. Repeat steps 3 through 5 for each report.